Safety data sheet according to 1907/2006/EC, Article 31 / ISO 11014

	2014 Version number 5	Revision: 06.11.20
Identification	n of the substance/mixture and of the company/undertaking	
Product identifie	er	
Trade name:		
Hilti Firestop M CP 636	lortar CFS-M RG	
Relevant identifi	ied uses of the substance or mixture and uses advised against	
	uilding and construction work	
	he substance / the mixture Construction chemicals	
Details of the sup Manufacturer/S	pplier of the safety data sheet	
143 441, Moscow		
	ow Ring Road, Building 3	
JSC "Hilti Distrib	mpany "Greenwood"	
Mailing address:		
Moscow 125047		
Phone: A single to 8 (800) 700 52 52		
Fax: 8 (800) 700 52 52		
Informing depar		
chemicals.hse@hi		
see section 16		
Emergency telep JSC "Hilti Distrib		
Phone: 8 (800) 70	00 52 52	
Fax: 8 (800) 700		
	Foxikologisches Informationszentrum - 24 h Service 51 51 51 (international)	
Hazards iden	ntification	
Classification of	the substance or mixture	
	8 Causes serious eye damage.	
•	5 Causes skin irritation.	
STOT SE 3 H33	5 May cause respiratory irritation.	
Classification ac	cording to Directive 67/548/EEC or Directive 1999/45/EC	
Xi; Irritant	..	
	ing to eyes and skin.	
R36/38: Irritati		
R36/38: Irritati Xi; Sensitising		
Xi; Sensitising	ause sensitisation by skin contact.	
Xi; Sensitising R43: May c Classification sys	stem:	
Xi; Sensitising R43: May c Classification sys The classification	stem: 1 is in line with current EC lists. It is expanded, however, by information from technical literat	ure and by information furnish
Xi; Sensitising R43: May c Classification sys The classification by supplier compa	stem: 1 is in line with current EC lists. It is expanded, however, by information from technical literat	ure and by information furnish
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements	stem: 1 is in line with current EC lists. It is expanded, however, by information from technical literat	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme Hazard pictogra	stem: i is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 GHS05 Signal word Dan Hazard-determin	stem: is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling:	-
Xi; Sensitising R43: May c Classification sy: The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 GHS05 Signal word Dan Hazard-determin Cement, portland,	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 GHS05 Signal word Dan Hazard-determin	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals nts	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes seri	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage.	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 Cignal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes skir H335 May cause	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation.	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 Cignal word Dan Hazard-determin Cement, portland, Hazard statemer H318 Causes skir H318 Causes seri- H335 May cause Precautionary st	stem: i is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label element Hazard pictogra GHS05 Cignal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes skir H335 May cause	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation.	-
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme Hazard pictogra GHS05 GHS05 Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes seri H335 May cause Precautionary st P260 P302+P352	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns or product is classified and labelled according to the Globally Harmonised System (GH uns of HS07 GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water.	S).
 Xi; Sensitising R43: May c Classification system The classification by supplier compation by supplier compation Label elements GHS label eleme Hazard pictogra GHS05 GHS05 GHS05 Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes seriet H335 May cause Precautionary st P280 P302+P352 	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns or for the Globally Harmonised System (GH uns of HS07 GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if	S).
 Xi; Sensitising R43: May c Classification system The classification by supplier compation by supplier compation Label elements GHS label eleme Hazard pictogra GHS05 GHS05 GHS05 Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes seriet H335 May cause Precautionary st P280 P302+P352 	stem: a is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns or product is classified and labelled according to the Globally Harmonised System (GH uns of HS07 GHS07 ager ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water.	S).
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label elements GHS label element GHS 05 GHS 05 Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes seri H335 May cause Precautionary st P261 P280 P302+P352 P305+P351+P333	<pre>stem: n is in line with current EC lists. It is expanded, however, by information from technical literat anies.</pre>	S).
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme Hazard pictogra GHS05 GHS05 C Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes serir H318 Causes Serir H	stem: is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 GHS07 eger ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention.	S).
Xi; Sensitising R43: May c Classification sys The classification by supplier compa Label elements GHS label eleme Hazard pictogra GHS05 GHS05 C Signal word Dan Hazard-determin Cement, portland, Hazard statemer H315 Causes skir H318 Causes serir H318 Causes Serir H	stem: i is in line with current EC lists. It is expanded, however, by information from technical literat anies. ents The product is classified and labelled according to the Globally Harmonised System (GH uns GHS07 typer ning components of labelling: , chemicals nts n irritation. ious eye damage. respiratory irritation. tatements Avoid breathing dust. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN: Wash with plenty of water. 8 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if rinsing. Immediately call a POISON CENTER/doctor. If skin irritation occurs: Get medical advice/attention. and vPvB assessment	S).

25-50%

Version number 5

Revision: 06.11.2014

· vPvB: Not applicable.

Printing date 06.11.2014

3 Composition/information on ingredients

· Chemical characterisation: Mixtures

· Description:

Mixture of the substances listed below with harmless additions.

· Dangerous components:

CAS: 65997-15-1 Cement, portland, chemicals

EINECS: 266-043-4 Xi R36/38; Xi R43

Eye Dam. 1, H318; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335

· Additional information For the wording of the listed risk phrases refer to section 16.

4 First aid measures

- · Description of first aid measures
- · General information Instantly remove any clothing soiled by the product.
- After inhalation
- Move to fresh air in case of accidental inhalation of fumes from overheating or combustion. Move to fresh air in case of accidental inhalation of vapours. Consult a doctor after significant exposure.
- · After skin contact
- Instantly wash with water and soap and rinse thoroughly. If skin irritation persist, call a physician.
- If skin irritation continues, consult a doctor.
- After eye contact Rinse opened eye for several minutes under running water. If symptoms persist, consult doctor.
- · After swallowing Seek immediate medical advice.
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Firefighting measures

- · Extinguishing media
- · Suitable extinguishing agents Not applicable
- · For safety reasons unsuitable extinguishing agents Not applicable
- Special hazards arising from the substance or mixture No further relevant information available.
- · Advice for firefighters
- · Protective equipment: No special measures required.

6 Accidental release measures

- · Personal precautions, protective equipment and emergency procedures Avoid causing dust.
- · Environmental precautions: Do not allow to enter drainage system, surface or ground water.
- · Methods and material for containment and cleaning up: Collect mechanically.
- · Reference to other sections
- See Section 8 for information on personal protection equipment.

7 Handling and storage

· Precautions for safe handling

- Use only in well ventilated areas.
- Prevent formation of dust.
- · Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage
- Requirements to be met by storerooms and containers:
- Keep packaging securely closed and dry, store at 5 °C to 30 °C.
- Protect from dampness and humidity.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Protect from humidity and keep away from water.
- · Specific end use(s) No further relevant information available

8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see item 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:
- The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.
- · Additional information: The lists that were valid during the compilation were used as basis.

(Contd. on page 3)

(Contd. of page 1)


Safety data sheet according to 1907/2006/EC, Article 31 / ISO 11014

B---------------------B

Safety data sheet according to 1907/2006/EC, Article 31 / ISO 11014

Printing date 06.11.2014

Version number 5





· Information on basic physical	· Information on basic physical and chemical properties				
 General Information 					
· Appearance:					
Form: Colour:	Powder Grey				
· Odour:	Odourless				
· pH-value:	Not applicable.				
-					
• Change in condition Melting point/Melting range: >1000 °C					
Boiling point/Boiling range:					
01 0 0					
· Flash point:	Not applicable				
· Ignition temperature:	Not applicable				
· Decomposition temperature:	Not determined				
· Self-inflammability:	Product is not selfigniting.				
· Danger of explosion:	Product is not explosive.				
· Density	Not determined				
· Solubility in / Miscibility with					
Water:	Soluble				
· Solvent content:					
Solids content:	100,0 %				
· Other information	No further relevant information available.				
	- Blift				

(Contd. on page 4)

Safety data sheet according to 1907/2006/EC, Article 31 / ISO 11014

Version number 5

Revision: 06.11.2014

10 Stability and reactivity

- · Reactivity
- · Chemical stability
- · Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.
- · Possibility of hazardous reactions No dangerous reactions known
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known

11 Toxicological information

- · Information on toxicological effects
- · Acute toxicity:
- · Primary irritant effect:
- · on the skin: Irritant to skin and mucous membranes.
- on the eye: Strong irritant with the danger of severe eye injury.
- · Toxicokinetics, metabolism and distribution None
- · Sensitisation May cause sensitisation by skin contact.
- · Repeated dose toxicity None
- · CMR effects (carcinogenity, mutagenicity and toxicity for reproduction) None

12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Ecotoxical effects: Not determined
- · Additional ecological information:
- General notes: Do not allow undiluted product or large quantities of it to reach ground water, water bodies or sewage system.
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- · vPvB: Not applicable.
- · Other adverse effects No further relevant information available.

13 Disposal considerations

· Waste treatment methods

• Recommendation Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · European waste catalogue
- 17 01 01 concrete
- · Uncleaned packagings:
- · Recommendation:

Class

Dispose of packaging according to regulations on the disposal of packagings.

Empty packs: May be disposed via the local Green Dot collecting system or EAK waste material code 150102 (plastic packaging materials)

14 Transport information · UN-Number · ADR, ADN, IMDG, IATA Void · UN proper shipping name · ADR, ADN, IMDG, IATA Void · Transport hazard class(es) · ADR, ADN, IMDG, IATA Void

· Packing group · ADR, IMDG, IATA	Void	
· Environmental hazards:	Not applicable.	
· Special precautions for user	Not applicable.	
Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code Not applicable.		
· Transport/Additional information:	Not dangerous according to the above specifications.	

⁽Contd. of page 3)

RU/EN

Printing date 06.11.2014

Safety data sheet according to 1907/2006/EC, Article 31 / ISO 11014

Version number 5

Revision: 06.11.2014

(Contd. of page 4)

· UN "Model Regulation":

15 Regulatory information

· Safety, health and environmental regulations/legislation specific for the substance or mixture No further relevant information available. · Chemical safety assessment: not required.

16 Other information

These data are based on our present knowledge. However, they shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

- H315 Causes skin irritation.
- H317 May cause an allergic skin reaction.
- H318 Causes serious eye damage.
- H335 May cause respiratory irritation.
- R36/38 Irritating to eyes and skin.
- May cause sensitisation by skin contact. R43

Department issuing data specification sheet:

Hilti Corporation Business Unit Chemicals Quality/Safety/Environment FL-9494 Schaan / Liechtenstein

chemicals.hse@hilti.com Tel.: +423 234 3004 FAX.: +423 234 3462

· Abbreviations and acronyms:

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society) Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2

Exp Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Skin Sens. 1: Sensitisation - Skin, Hazard Category 1 STOT SE 3: Specific target organ toxicity - Single exposure, Hazard Category 3

 \cdot * Data compared to the previous version altered.